

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|------------------|
| L1 | 372 | ((electronic adj mail) or email or e?mail or mail or message or item or document) same (one?shot or (one adj shot) or ((single or once) near1 (access\$4 or view\$4 or read\$4))) same (archiv\$4 or decach\$4 or de?cach\$4 or remov\$4 or expung\$4 or delet\$4) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/19 15:17 |
| L2 | 37 | L1 and (probability or cost?benefit or (cost adj benefit) or (relative near1 utility)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/19 15:14 |
| L3 | 719 | ((electronic adj mail) or email or e?mail or mail or message or item or document) same (one?shot or (one adj shot)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/19 15:13 |
| L4 | 468 | L3 and (archiv\$4 or decach\$4 or de?cach\$4 or remov\$4 or expung\$4 or delet\$4) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/19 15:14 |
| L5 | 55 | L4 and (probability or cost?benefit or (cost adj benefit) or (relative near1 utility)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/19 15:14 |
| L6 | 44 | L5 and @ad<="20010628" | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/19 15:18 |
| L7 | 767 | ((electronic adj mail) or email or e?mail or mail or message) with (one?shot or (one adj shot) or ((single or once) near1 (access\$4 or view\$4 or read\$4))) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/19 15:18 |
| L8 | 64 | L7 same (archiv\$4 or decach\$4 or de?cach\$4 or remov\$4 or expung\$4 or delet\$4) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/19 15:18 |
| L9 | 34 | L8 and @ad<="20010628" | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/19 15:18 |

| | | | | | | |
|----|-----|--|---|----|----|------------------|
| S1 | 58 | (RAM or memory or storage or disk or "data store") and ((archiv\$3 or backup or back?up) near2 (storage or memory or "data store")) and ((inference or inferential or probability or (value near1 density)) near10 (archiv\$3 or backup or back?up or (back\$3 adj up))) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/09/22 13:14 |
| S2 | 50 | ((RAM or memory or storage or disk or "data store") and ((archiv\$3 or backup or back?up) near2 (storage or memory or "data store")) and ((inference or inferential or probability or (value near1 density)) near10 (archiv\$3 or backup or back?up or (back\$3 adj up)))) and @ad<="20010628" | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/09/22 15:18 |
| S3 | 100 | ((message or file or mail or email or e?mail or (electronic adj mail)) near3 (analysis or filter\$3 or decision\$2)) and (archiv\$3 or migrat\$3) and ((probability or inference or inferential or decision) with (archiv\$3 or migrat\$3)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/09/22 15:26 |
| S4 | 115 | ((message or file or document or mail or email or e?mail or (electronic adj mail)) near3 (analysis or filter\$3 or decision\$2)) and (archiv\$3 or migrat\$3) and ((probability or inference or inferential or decision) with (archiv\$3 or migrat\$3)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/09/22 15:26 |
| S5 | 14 | ((message or file or document or mail or email or e?mail or (electronic adj mail)) near3 (analysis or filter\$3 or decision\$2)) and (archiv\$3 or migrat\$3) and ((probability or inference or inferential or decision) with (archiv\$3 or migrat\$3))) and (density or (probability with size)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/09/22 15:27 |
| S6 | 13 | ((message or file or document or mail or email or e?mail or (electronic adj mail)) near3 (analysis or filter\$3 or decision\$2)) and (archiv\$3 or migrat\$3) and ((probability or inference or inferential or decision) with (archiv\$3 or migrat\$3))) and (density or (probability with size))) and @ad<="20010628" | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/09/22 15:57 |

| | | | | | | |
|-----|-----|--|---|----|----|------------------|
| S7 | 93 | ((message or file or document or mail or email or e?mail or (electronic adj mail)) near3 (analysis or filter\$3 or decision\$2)) and (archiv\$3 or migrat\$3) and ((probability or inference or inferential or decision) with (archiv\$3 or migrat\$3))) and @ad<="20010628" | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/09/22 16:03 |
| S8 | 80 | ((message or file or document or mail or email or e?mail or (electronic adj mail)) near3 (analysis or filter\$3 or decision\$2)) and (archiv\$3 or migrat\$3) and ((probability or inference or inferential or decision) with (archiv\$3 or migrat\$3))) and @ad<="20010628") not (((message or file or document or mail or email or e?mail or (electronic adj mail)) near3 (analysis or filter\$3 or decision\$2)) and (archiv\$3 or migrat\$3) and ((probability or inference or inferential or decision) with (archiv\$3 or migrat\$3))) and (density or (probability with size))) and @ad<="20010628") | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/09/23 11:00 |
| S9 | 3 | ("6592627" "6233575" "5333266").did. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/09/23 12:18 |
| S10 | 694 | pollock.in. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/09/23 11:42 |
| S11 | 0 | pollock.in. and (decision or rule) and filter\$3 and (message or document) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/09/23 11:43 |
| S12 | 14 | pollock.in. and stephen.in. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/09/23 11:43 |
| S13 | 1 | "5765170".PN. | US-PGPUB; USPAT | OR | ON | 2003/09/23 11:44 |
| S14 | 1 | "6137911".PN. | US-PGPUB; USPAT | OR | ON | 2003/09/23 11:47 |
| S15 | 1 | "6161130".PN. | US-PGPUB; USPAT | OR | ON | 2003/09/23 11:48 |
| S16 | 1 | "6216122".PN. | US-PGPUB; USPAT | OR | ON | 2003/09/23 11:50 |

| | | | | | | |
|-----|------|--|---|----|----|------------------|
| S17 | 1 | "6226630".PN. | US-PGPUB; USPAT | OR | ON | 2003/09/23 11:51 |
| S18 | 1 | "6243724".PN. | US-PGPUB; USPAT | OR | ON | 2003/09/23 11:54 |
| S19 | 1 | "6249805".PN. | US-PGPUB; USPAT | OR | ON | 2003/09/23 11:55 |
| S20 | 1 | "6282565".PN. | US-PGPUB; USPAT | OR | ON | 2003/09/23 11:56 |
| S21 | 1 | "6314421".PN. | US-PGPUB; USPAT | OR | ON | 2003/09/23 11:58 |
| S22 | 1 | "6324587".PN. | US-PGPUB; USPAT | OR | ON | 2003/09/23 11:59 |
| S23 | 1 | "6370526".PN. | US-PGPUB; USPAT | OR | ON | 2003/09/23 12:00 |
| S24 | 1 | "6389436".PN. | US-PGPUB; USPAT | OR | ON | 2003/09/23 12:02 |
| S25 | 1 | "6442546".PN. | US-PGPUB; USPAT | OR | ON | 2003/09/23 12:02 |
| S26 | 2289 | ((message or file or document or email or e?mail or (electronic adj mail) or mail) near3 (filter\$3 or analysis or decision?tree or (decision adj tree) or decision?based or (decision adj based) or rule)) and (archiv\$3 or migrat\$3 or ((transfer\$4 or move or moving or moved) near2 remote\$2)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/09/23 12:28 |
| S27 | 587 | ((((message or file or document or email or e?mail or (electronic adj mail) or mail) near3 (filter\$3 or analysis or decision?tree or (decision adj tree) or decision?based or (decision adj based) or rule)) and (archiv\$3 or migrat\$3 or ((transfer\$4 or move or moving or moved) near2 remote\$2)))) and (inference or inferential\$2 or probability or probabilistic) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/09/23 12:32 |

| | | | | | | |
|-----|-----|---|---|----|----|------------------|
| S28 | 170 | (((message or file or document or email or e?mail or (electronic adj mail) or mail) near3 (filter\$3 or analysis or decision?tree or (decision adj tree) or decision?based or (decision adj based) or rule)) and (archiv\$3 or migrat\$3 or ((transfer\$4 or move or moving or moved) near2 remote\$2))) and (inference or inferential\$2 or probability or probabilistic)) and ((archiv\$3 or migrat\$3 or move or moving or moved or transfer\$4 or delet\$3 or remov\$3 or relocat\$3) near4 (junk or unwanted or undesirable or probability or probabilistic or rule or decision or unauthorized)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/09/23 12:37 |
| S29 | 172 | (((message or file or document or email or e?mail or (electronic adj mail) or mail) near3 (filter\$3 or analysis or decision?tree or (decision adj tree) or decision?based or (decision adj based) or rule)) and (archiv\$3 or migrat\$3 or ((transfer\$4 or move or moving or moved) near2 remote\$2))) and (inference or inferential\$2 or probability or probabilistic)) and ((archiv\$3 or migrat\$3 or move or moving or moved or transfer\$4 or delet\$3 or remov\$3 or relocat\$3) near4 (junk or unwanted or undesirable or probability or probabilistic or rule or decision or inference or unauthorized)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/09/23 12:38 |

| | | | | | | |
|-----|-----|---|---|----|----|------------------|
| S30 | 118 | (((((message or file or document or email or e?mail or (electronic adj mail) or mail) near3 (filter\$3 or analysis or decision?tree or (decision adj tree) or decision?based or (decision adj based) or rule)) and (archiv\$3 or migrat\$3 or ((transfer\$4 or move or moving or moved) near2 remote\$2))) and (inference or inferential\$2 or probability or probabilistic)) and ((archiv\$3 or migrat\$3 or move or moving or moved or transfer\$4 or delet\$3 or remov\$3 or relocat\$3) near4 (junk or unwanted or undesirable or probability or probabilistic or rule or decision or inference or unauthorized))) and @ad<="20010628" | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/09/23 12:39 |
| S31 | 81 | (((((message or file or document or email or e?mail or (electronic adj mail) or mail) near3 (filter\$3 or analysis or decision?tree or (decision adj tree) or decision?based or (decision adj based) or rule)) and (archiv\$3 or migrat\$3 or ((transfer\$4 or move or moving or moved) near2 remote\$2))) and (inference or inferential\$2 or probability or probabilistic)) and ((archiv\$3 or migrat\$3 or move or moving or moved or transfer\$4 or delet\$3 or remov\$3 or relocat\$3) near4 (junk or unwanted or undesirable or probability or probabilistic or rule or decision or inference or unauthorized))) and @ad<="20010628") and (((size or length) same (utility or use or usage or probability)) or density) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/09/23 12:42 |
| S32 | 229 | ((message or document or mail or email or e?mail or (electronic adj mail)) near4 (filter\$3 or inference or inferential)) and ((archiv\$3 or migrat\$3 or rerout\$3 or re?rout\$3 or transfer\$4 or move or moving or moved) with (rule or probability or probabilistic or junk or unwanted or undesirable)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/09/23 13:49 |

| | | | | | | |
|-----|------|---|---|----|----|------------------|
| S33 | 28 | ((((message or document or mail or email or e?mail or (electronic adj mail)) near4 (filter\$3 or inference or inferential)) and ((archiv\$3 or migrat\$3 or rerout\$3 or re?rout\$3 or transfer\$4 or move or moving or moved) with (rule or probability or probabilistic or junk or unwanted or undesirable))) and "707"/\$4.ccls. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/09/23 13:49 |
| S34 | 21 | (((((message or document or mail or email or e?mail or (electronic adj mail)) near4 (filter\$3 or inference or inferential)) and ((archiv\$3 or migrat\$3 or rerout\$3 or re?rout\$3 or transfer\$4 or move or moving or moved) with (rule or probability or probabilistic or junk or unwanted or undesirable))) and "707"/\$4.ccls.) and @ad<="20010628" | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/09/23 14:53 |
| S35 | 1 | "5619648".did. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/09/23 14:53 |
| S36 | 1 | "5377354".PN. | US-PGPUB; USPAT | OR | ON | 2003/09/23 14:59 |
| S37 | 1 | "5638487".PN. | US-PGPUB; USPAT | OR | ON | 2003/09/23 15:01 |
| S38 | 1 | "5835087".PN. | US-PGPUB; USPAT | OR | ON | 2003/09/23 15:01 |
| S39 | 1 | "6003027".PN. | US-PGPUB; USPAT | OR | ON | 2003/09/23 15:01 |
| S40 | 1 | "6023723".PN. | US-PGPUB; USPAT | OR | ON | 2003/09/23 15:03 |
| S41 | 7631 | (707/2 707/10 707/200 707/204 709/206 709/207).ccls. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/09/23 15:11 |
| S42 | 1896 | ((707/2 707/10 707/200 707/204 709/206 709/207).ccls.) and ((message or document or file or text or mail or email or e?mail) with (filter\$3 or inference or inferential or decision or rule or probability)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/09/23 15:13 |

| | | | | | | |
|-----|------|---|---|----|----|------------------|
| S43 | 198 | ((((707/2 707/10 707/200 707/204 709/206 709/207).ccls.) and ((message or document or file or text or mail or email or e?mail) with (filter\$3 or inference or inferential or decision or rule or probability))) and ((archiv\$3 or migrat\$3 or relocat\$3 or transfer\$4) with (junk or unwanted or undesirable or probability or rule or decision or inference or inferential))) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/09/23 15:14 |
| S44 | 44 | (((((707/2 707/10 707/200 707/204 709/206 709/207).ccls.) and ((message or document or file or text or mail or email or e?mail) with (filter\$3 or inference or inferential or decision or rule or probability))) and ((archiv\$3 or migrat\$3 or relocat\$3 or transfer\$4) with (junk or unwanted or undesirable or probability or rule or decision or inference or inferential))) and ((probability or utility or use or usage or importance or priority) near10 (size or length or space or capacity or cost))) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/09/23 15:16 |
| S45 | 33 | (((((707/2 707/10 707/200 707/204 709/206 709/207).ccls.) and ((message or document or file or text or mail or email or e?mail) with (filter\$3 or inference or inferential or decision or rule or probability))) and ((archiv\$3 or migrat\$3 or relocat\$3 or transfer\$4) with (junk or unwanted or undesirable or probability or rule or decision or inference or inferential))) and ((probability or utility or use or usage or importance or priority) near10 (size or length or space or capacity or cost))) and @ad<="20010628" | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/09/23 15:17 |
| S46 | 5659 | ((mail or message or email or e?mail or file or document) same ((access\$3 or read\$3 or view\$3) near2 (once or single or "one time"))) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/09/25 15:40 |

| | | | | | | |
|-----|------|--|---|----|----|------------------|
| S47 | 415 | ((mail or message or email or e?mail or file or document) same ((access\$3 or read\$3 or view\$3) near2 (once or single or "one time")))) same (archiv\$3 or migrat\$3 or delet\$3 or remov\$3) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/09/25 15:40 |
| S48 | 125 | (mail or message or email or e?mail or file or document) same (((access\$3 or read\$3 or view\$3) near2 (once or single or "one time"))) with (archiv\$3 or migrat\$3 or delet\$3 or remov\$3)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/09/25 15:41 |
| S49 | 101 | ((mail or message or email or e?mail or file or document) same (((access\$3 or read\$3 or view\$3) near2 (once or single or "one time"))) with (archiv\$3 or migrat\$3 or delet\$3 or remov\$3))) and @ad<="20010628" | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2003/09/25 15:42 |
| S50 | 16 | ("6513046" "6747675" "6801223" "6842877" "6466232" "6549915" "6791580" "6812937" "20010040591" "20010043232" "20020044152" "20020052963" "20020054174" "20020080155" "20020083025" "20020087525" "20030046401" "20050034078"). did. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/19 13:40 |
| S51 | 1798 | ((electronic adj mail) or email or e?mail or mail or message) same (one?shot or (one adj shot) or ((single or once) near1 (access\$4 or view\$4 or read\$4))) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/19 13:42 |
| S52 | 372 | ((electronic adj mail) or email or e?mail or mail or message or item or document) same (one?shot or (one adj shot) or ((single or once) near1 (access\$4 or view\$4 or read\$4))) same (archiv\$4 or decach\$4 or de?cach\$4 or remov\$4 or expung\$4 or delet\$4) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/08/19 13:44 |